

Snow and Water Imaging Spectroscopy (SWIS) for Coasts and Snow Cover

PI: Pantazis Mouroulis, JPL

Objective

Develop and demonstrate a scalable imaging spectrometer system in the near IR region (350-1700 nm) that is suitable for small satellites, including U-class satellites, and with performance characteristics that can address the demanding observational requirements for monitoring coastal ecosystems as well as snow covered areas, including:

- high-fidelity imaging spectrometer measurements (>95% uniformity)
- high temporal sampling (daily)
- high spatial resolution (60-160 m)
- high dynamic range to cover both bright (snow) and dark (ocean) targets



SWIS spectrometer assembly including calibration mechanism and HgCdTe detector

SWIS instrument packaged in 4U of a 6-U platform



Accomplishments

- Designed and prototyped a 6U-compatible SWIS imaging spectrometer with high resolution, high fidelity, and sufficient dynamic range that operates in warmer temperature range (230-250K), and thus, without cryocoolers. The measured performance parameters have met or exceeded the designed goals:
 - Uniformity: 96% (95% goal)
 - Spectral resolution: 1.1 x sampling (goal: 1.5 x sampling)
 - Along-track and cross-track response function resolution: 1.1 x sampling (goal: 1.5 x sampling)
 - Dynamic range: 46 dB with excellent linearity (R² = 0.9999)
- Completed the thermal and vibration testing of the prototype SWIS instrument
- Developed a detailed system design on the 6U SWIS satellite for spaceborne operations. The flight system characteristics include: mass: 6.6 kg; volume: 100 x 226 x 366 mm³; power: 9.6 W

Co-Is/Partners: R. O. Green, T. Painter, B. Van Gorp, J. Rodriguez, D. W. Wilson, M. Eastwood, JPL; H. Dierssen, Univ. Conn

 $TRL_{in} = 4$ $TRL_{out} = 5$

